



DATA SHEET

ARCONVERT SpA
 Sede legale e amministrativa:
 Strada del Linfano, 12
 38062 Arco (TN), Italy
 Tel. +39 0464.584444 r.a.
 Fax Comm. +39 0464.532024
 Fax Amm. +39 0464.584490
 Fax Acq. +39 0464.531291

arconvert.com
 Cap. Soc. €4.000.000 i.v.
 Codice Fiscale e Registro
 Imprese n. 01077840682
 Partita IVA e VAT Code IT
 n. 01192310223
 N. Mecc. TN 007450
 N. REA TN 122101

PRODUCT:

Face Material: **VELLUM EXTRA**
 Adhesive: **P10P**
 Backing Paper: **KB85**

Face Material: VELLUM EXTRA
 Description: Woodfree white machine smoothed paper, with a high degree of whiteness.
 Application: General all-purpose paper.
 Excellent printability with all conventional printing systems.
 Surface finishing ensures excellent results when using laser, needle or ink-jet printers.

Technical Data	Grammage	Caliper	Brightness	Opacity	Glaze	Tensile-strength h MD-CD	Elongation at break MD-CD
	g/m ²	micron	%	%	%	Kg/15 mm	%
	74	78	110	85		6,0-3	

Adhesive: P10P
 Description: Modified acrylic adhesive in water emulsion.
 Application: Adhesive suited to a wide range of applications, featuring high tack and adhesion values as well as good processing properties.
 Approved for indirect food contacts and corresponding to UNI-EN 71/3 "toys security" norms.

Technical Data	Tack	Cohesion (min)	Application Temperature (min)	Service Temperature (min)	Service Temperature (max)
	g/25 mm	hours	° C	° C	° C
	1200	9	+ 5	- 10	+ 80

Backing paper: KB85
 Description: White paper coated and siliconised on one side.
 Application: Backing paper for sheet fed printing systems requiring an excellent dimensional stability.

Technical Data	Grammage	Caliper	Opacity	Trasparenza	Tensile-strength MC-CD	Elongation at break MD-CD
	g/m ²	micron	%	%	N/15mm	%
	85	85	84		70-40	

Date
17/04/2004

Report
n° NIN 707

Revision
5

Q.C. Manager
Ing. Sabrina Leoni

All the information and descriptions regarding Arconvert products are based research and are considered reliable, but do not constitute a warranty.
 Given the extent and constant development of fields of application for Arconvert self-adhesive products, the user must carefully check the suitability of the product for each specific application, bearing all the risks involved. No salesman, agent or representative is authorised to issue guarantees or information other than those contained in this guide which replaces previous editions and information contained herein is subject to change without notice.